

Таблица 4.2.9. Термодинамические свойства пара калия на линии насыщения

T	p_s	ρ''	h''	s''	c_p''
600	9.871E-5	7.811E-4	2605	5.924	0.773
700	1.080E-3	7.412E-3	2642	5.480	0.908
800	6.407E-3	3.906E-2	2674	5.154	1.014
900	2.536E-2	1.400E-1	2701	4.908	1.082
1000	7.583E-2	3.847E-1	2727	4.717	1.120
1100	1.852E-1	8.734E-1	2752	4.566	1.137
1200	3.888E-1	1.722	2776	4.445	1.138
1300	7.268E-1	3.050	2800	4.348	1.125
1400	1.240	4.972	2824	4.270	1.101
1500	1.964	7.586	2849	4.207	1.065
1600	2.929	1.097E1	2877	4.157	1.022
1700	4.153	1.516E1	2908	4.118	0.974
1800	5.643	2.017E1	2942	4.089	0.925
1900	7.398	2.596E1	2980	4.068	0.878
2000	9.407	3.247E1	3021	4.054	0.835
2100	1.16E1	3.963E1	3064	4.044	0.797