

Таблица 4.2.5. Термодинамические свойства пара натрия на линии насыщения

$T$	$p_s$	$\rho''$	$h''$	$s''$	$c_p''$
600	5.720E-6	2.665E-5	5195	10.800	1.733
700	1.068E-4	4.316E-4	5246	9.835	2.136
800	9.472E-4	3.404E-3	5287	9.124	2.385
900	5.135E-3	1.669E-2	5322	8.583	2.468
1000	1.977E-2	5.888E-2	5358	8.163	2.443
1100	5.939E-2	0.1637	5395	7.832	2.380
1200	0.1482	0.3817	5432	7.566	2.329
1300	0.3210	0.7785	5467	7.346	2.313
1400	0.6217	1.433	5496	7.161	2.333
1500	1.101	2.432	5520	7.002	2.370
1600	1.814	3.871	5537	6.864	2.401
1700	2.813	5.844	5549	6.746	2.408