

Таблица 5.1. Термодинамические свойства фреона 12 на линии насыщения

$T$	$P_s$	$\rho'$	$\rho''$	$h'$	$h''$	$s'$	$s''$	$C'_p$	$C''_p$
173.15	1.19E-3	1672.7	0.0997	313.3	505.7	3.609	4.720	0.793	0.451
183.15	2.85E-3	1647.6	0.2267	321.3	510.2	3.653	4.685	0.804	0.467
193.15	6.17E-3	1622.1	0.4663	329.4	514.9	3.696	4.657	0.817	0.483
203.15	1.223E-2	1596.2	0.8825	337.4	519.6	3.738	4.634	0.831	0.499
213.15	2.250E-2	1569.7	1.557	346.1	524.4	3.778	4.615	0.847	0.515
223.15	3.903E-2	1542.7	2.591	354.6	529.2	3.817	4.600	0.864	0.531
233.15	6.401E-2	1515.0	4.100	363.3	534.1	3.856	4.588	0.881	0.548
243.15	1.002E-1	1486.5	6.220	372.2	538.9	3.893	4.578	0.898	0.565
253.15	1.507E-1	1457.2	9.102	381.3	543.7	3.929	4.571	0.915	0.584
263.15	2.189E-1	1426.9	12.92	390.6	548.4	3.965	4.565	0.930	0.603
273.15	3.083E-1	1395.5	17.87	400.0	552.9	4.000	4.560	0.947	0.625
283.15	4.228E-1	1362.7	24.18	409.6	557.3	4.034	4.556	0.962	0.649
293.15	5.665E-1	1328.3	32.12	419.3	561.5	4.068	4.553	0.979	0.677
303.15	7.436E-1	1292.0	42.05	429.3	565.5	4.101	4.550	0.997	0.710
313.15	9.586E-1	1253.3	54.39	439.4	569.1	4.133	4.547	1.025	0.749
323.15	1.216E0	1211.8	69.74	449.9	572.4	4.165	4.544	1.060	0.798
333.15	1.522E0	1166.6	88.95	460.7	575.2	4.197	4.541	1.109	0.864
343.15	1.880E0	1116.4	113.3	472.2	577.3	4.230	4.537	1.184	0.959
353.15	2.298E0	1059.2	145.0	484.0	578.6	4.263	4.531	1.304	1.109
363.15	2.782E0	991.1	188.0	497.1	578.4	4.298	4.522	1.520	1.394
373.15	3.340E0	902.3	252.5	512.2	575.7	4.338	4.508	2.032	2.146
383.15	3.980E0	741.8	380.5	532.6	566.2	4.390	4.477	6.299	7.768
385.15	4.119E0	579.1	579.1	550.5	550.5	4.436	4.436		