

Таблица 5.13. Термодинамические свойства фреона 23 на линии насыщения

T	P_s	ρ'	ρ''	h'	h''	s'	s''	C'_p	C''_p
233.15	0.7077	1263.7	29.96	248.4	440.0	2.424	3.247	0.828	0.856
243.15	1.0085	1216.2	42.90	258.4	441.8	2.467	3.222	1.127	0.944
253.15	1.3966	1162.7	60.45	270.9	442.6	2.519	3.197	1.356	1.064
263.15	1.8866	1102.1	84.45	285.4	442.0	2.576	3.171	1.563	1.241
273.15	2.496	1031.2	118.23	301.7	439.6	2.637	3.142	1.815	1.538
283.15	3.245	943.4	169.17	320.4	434.0	2.703	3.104	2.273	2.167
288.15	3.681	887.9	206.69	331.1	429.2	2.739	3.080	2.764	2.869