

Таблица 5. 15. Переносные свойства фреона 23 на линии насыщения

T	μ'	μ''	λ'	λ''
233.15	1.643E-4	1.168E-5	1.032E-1	1.131 E-2
243.15	1.439E-4	1.230E-5	9.58E-2	1.252 E-2
253.15	1.258E-4	1.301E-5	8.91E-2	1.395 E-2
263.15	1.088E-4	1.387E-5	8.22E-2	1.571 E-2
273.15	9.07E-5	1.498E-5	7.53E-2	1.797 E-2
283.15	7.31E-5	1.656E-5	6.83E-2	2.11 E-2
288.15	6.47E-5	1.772E-5	6.42E-2	2.33 E-2