

Таблица 5. 17. Термодинамические свойства фреона 32 на линии насыщения

T	P _s	ρ'	ρ''	h'	h''	s'	s''
203.15	0.036	1262	1.14	85,7	486,6	0,5204	2,4939
213.15	0.065	1236	1.97	101,4	492,1	0,5958	2.4290
223.15	0.110	1208	3.23	117,2	497,3	0,6683	2.3714
233.15	0.177	1180	5.07	133.2	502.0	0.7382	2.3200
243.15	0.273	1151	7.64	149.5	506.3	0.8060	2.2735
253.15	0.406	1121	11.16	165.9	510.0	0.8720	2.2310
263.15	0.583	1089	15.87	182.2	513.0	0.9365	2.1916
273.15	0.813	1055	22.09	200.0	515.3	1.000	2.1543
283.15	1.107	1020	30.23	217.8	516.7	1.0628	2.1185
293.15	1.475	982	40.86	236.1	516.9	1.1253	2.0831
303.15	1.928	940	54.78	255.3	515.7	1.1881	2.0471
313.15	2.478	893	73.27	275.4	512.7	1.2520	2.0091
323.15	3.141	839	98.55	297.5	507.1	1.3183	1.9670
333.15	3.933	773	135.2	321.9	497.4	1.3898	1.9166
343.15	4.877	681	196.7	351.7	479.5	1.4741	1.8495