

Таблица 5.19. Термодинамические свойства фреона R125 на линии насыщения

T	p_s	ρ'	ρ''	h'	h''	s'	s''
200.00	2.473E-2	1600.0	1.810	116.4	293.1	.6471	1.531
205.00	3.387E-2	1584.0	2.427	121.7	296.1	.6733	1.524
210.00	4.556E-2	1567.0	3.202	127.1	299.0	.6990	1.518
215.00	6.031E-2	1550.0	4.163	132.5	301.9	.7245	1.513
220.00	7.865E-2	1533.0	5.338	137.9	304.9	.7495	1.508
225.00	0.1012	1515.0	6.762	143.5	307.8	.7743	1.505
230.00	0.1285	1497.0	8.469	149.0	310.7	.7988	1.502
235.00	0.1612	1479.0	10.502	154.7	313.5	.8230	1.499
240.00	0.2002	1460.0	12.901	160.4	316.3	.8469	1.497
245.00	0.2460	1441.0	15.71	166.2	319.1	.8705	1.495
250.00	0.2996	1421.0	18.98	172.0	321.8	.8940	1.493
255.00	0.3616	1400.0	22.78	177.9	324.5	.9172	1.492
260.00	0.4330	1379.0	27.16	183.9	327.1	.9402	1.491
265.00	0.5145	1357.0	32.21	190.0	329.6	.9631	1.490
270.00	0.6071	1335.0	38.00	196.1	332.0	.9858	1.489
275.00	0.7117	1311.0	44.62	202.3	334.3	1.008	1.488
280.00	0.8291	1287.0	52.19	208.6	336.5	1.031	1.488
285.00	0.9604	1261.0	60.82	215.0	338.6	1.053	1.487
290.00	1.106	1234.0	70.68	221.6	340.5	1.075	1.486
295.00	1.268	1206.0	81.93	228.2	342.3	1.098	1.484
300.00	1.447	1176.0	94.80	235.0	343.9	1.120	1.483
305.00	1.643	1144.0	109.6	241.9	345.3	1.142	1.481
310.00	1.858	1110.0	126.5	249.0	346.5	1.165	1.479
315.00	2.093	1073.0	146.2	256.3	347.4	1.187	1.477
320.00	2.348	1033.0	169.2	263.9	348.0	1.210	1.473
325.00	2.625	989.4	196.3	271.8	348.2	1.234	1.469
330.00	2.924	939.9	229.0	280.1	347.9	1.259	1.464