

Таблица 5.23. Термодинамические свойства фреона R142b на линии насыщения

T	p_s	ρ'	ρ''	h'	h''	s'	s''
215.00	8.224E-3	.4648	1284.	1.874	.7164	379.8	130.9
220.00	1.131E-2	.6257	1274.	1.863	.7425	383.1	136.6
225.00	1.530E-2	.8290	1265.	1.853	.7683	386.4	142.3
230.00	2.038E-2	1.083	1256.	1.845	.7937	389.8	148.1
235.00	2.676E-2	1.395	1246.	1.837	.8187	393.1	153.9
240.00	3.468E-2	1.776	1236.	1.830	.8434	396.5	159.8
245.00	4.439E-2	2.235	1226.	1.824	.8678	399.9	165.7
250.00	5.618E-2	2.783	1216.	1.819	.8919	403.3	171.7
255.00	7.034E-2	3.432	1206.	1.814	.9157	406.7	177.7
260.00	8.720E-2	4.194	1196.	1.810	.9393	410.1	183.8
265.00	0.1071	5.083	1185.	1.806	.9626	413.5	189.9
270.00	0.1304	6.113	1174.	1.803	.9856	416.9	196.1
275.00	0.1575	7.300	1162.	1.801	1.008	420.3	202.3
280.00	0.1888	8.660	1151.	1.799	1.031	423.6	208.6
285.00	0.2246	10.21	1139.	1.797	1.053	426.9	215.0
290.00	0.2655	11.97	1127.	1.796	1.076	430.2	221.4
295.00	0.3119	13.96	1114.	1.795	1.098	433.5	227.9
300.00	0.3643	16.21	1101.	1.794	1.119	436.7	234.4
305.00	0.4230	18.73	1088.	1.793	1.141	439.8	241.0
310.00	0.4887	21.57	1074.	1.792	1.163	442.9	247.7
315.00	0.5617	24.73	1059.	1.792	1.184	445.9	254.5
320.00	0.6427	28.27	1044.	1.792	1.206	448.9	261.3
325.00	0.7322	32.21	1029.	1.791	1.227	451.7	268.3
330.00	0.8306	36.60	1013.	1.791	1.248	454.5	275.3
335.00	0.9385	41.48	996.0	1.791	1.269	457.2	282.5
340.00	1.057	46.92	978.6	1.790	1.290	459.8	289.7
345.00	1.185	52.97	960.3	1.790	1.311	462.2	297.1
350.00	1.325	59.71	941.2	1.790	1.332	464.5	304.5
355.00	1.477	67.23	921.2	1.789	1.354	466.7	312.2
360.00	1.641	75.62	900.1	1.788	1.375	468.7	320.0
365.00	1.818	85.02	877.8	1.787	1.396	470.5	327.9
370.00	2.009	95.59	854.1	1.785	1.418	472.1	336.1
375.00	2.214	107.5	828.8	1.784	1.440	473.4	344.5
380.00	2.434	121.1	801.8	1.781	1.462	474.4	353.2
385.00	2.669	136.7	772.5	1.778	1.485	475.1	362.2
390.00	2.921	154.8	740.5	1.774	1.509	475.3	371.7
395.00	3.189	176.1	705.0	1.769	1.533	474.9	381.7
400.00	3.475	202.1	664.7	1.762	1.559	473.8	392.5