

Таблица 5.25. Термодинамические свойства фреона R143a на линии насыщения..

T	$p_s$	$\rho'$	$\rho''$	$h'$	$h''$	$s'$	$s''$
200.00	2.548E-2	1233.	1.305	103.4	344.2	.5931	1.797
205.00	3.439E-2	1220.	1.724	109.4	347.6	.6225	1.785
210.00	4.568E-2	1207.	2.244	115.4	351.1	.6516	1.774
215.00	5.977E-2	1194.	2.882	121.6	354.5	.6804	1.764
220.00	7.715E-2	1181.	3.656	127.8	358.0	.7089	1.755
225.00	9.832E-2	1167.	4.584	134.1	361.4	.7371	1.748
230.00	0.1238	1154.	5.689	140.5	364.9	.7651	1.741
235.00	0.1543	1140.	6.993	147.0	368.3	.7929	1.735
240.00	0.1903	1125.	8.521	153.6	371.7	.8205	1.729
245.00	0.2325	1111.	10.3	160.2	375.0	.8479	1.724
250.00	0.2817	1096.	12.36	167.0	378.3	.8752	1.720
255.00	0.3385	1080.	14.74	173.9	381.5	.9023	1.716
260.00	0.4036	1065.	17.47	181.0	384.7	.9293	1.713
265.00	0.4779	1048.	20.59	188.1	387.8	.9563	1.710
270.00	0.5622	1031.	24.16	195.4	390.8	.9831	1.707
275.00	0.6572	1014.	28.21	202.8	393.7	1.010	1.704
280.00	0.7639	995.9	32.81	210.3	396.5	1.037	1.702
285.00	0.8831	977.1	38.04	218.0	399.1	1.063	1.699
290.00	1.016	957.4	43.96	225.8	401.6	1.090	1.697
295.00	1.163	936.8	50.67	233.9	404.0	1.117	1.694
300.00	1.325	915.3	58.29	242.1	406.1	1.144	1.691
305.00	1.504	892.5	66.95	250.5	408.1	1.172	1.688
310.00	1.699	868.4	76.81	259.2	409.8	1.199	1.685
315.00	1.913	842.8	88.10	268.1	411.2	1.227	1.681
320.00	2.146	815.3	101.1	277.4	412.3	1.255	1.677
325.00	2.400	785.7	116.1	287.1	413.0	1.284	1.671
330.00	2.675	753.4	133.7	297.2	413.2	1.314	1.665
335.00	2.972	717.6	154.7	307.9	412.7	1.345	1.658