

Таблица 5.27. Термодинамические свойства фреона R152a на линии насыщения

T	p_s	ρ'	ρ''	h'	h''	s'	s''
205.00	8.514E-3	1093.	.3315	91.4	456.8	.5455	2.332
210.00	1.233E-2	1084.	.4693	98.8	460.9	.5812	2.305
215.00	1.697E-2	1075.	.6321	106.3	465.1	.6165	2.285
220.00	2.297E-2	1066.	.8380	113.9	469.2	.6513	2.266
225.00	3.062E-2	1057.	1.095	121.6	473.4	.6857	2.250
230.00	4.022E-2	1047.	1.412	129.3	477.7	.7196	2.234
235.00	5.215E-2	1038.	1.798	137.1	481.9	.7532	2.220
240.00	6.678E-2	1028.	2.263	145.0	486.1	.7865	2.208
245.00	8.453E-2	1018.	2.819	153.0	490.4	.8194	2.196
250.00	0.1059	1008.	3.479	161.1	494.6	.8520	2.186
255.00	0.1313	997.3	4.254	169.3	498.8	.8844	2.177
260.00	0.1612	986.6	5.160	177.6	503.0	.9165	2.168
265.00	0.1964	975.7	6.212	186.0	507.2	.9484	2.160
270.00	0.2372	964.5	7.425	194.6	511.3	.9801	2.153
275.00	0.2844	953.0	8.819	203.2	515.4	1.012	2.147
280.00	0.3385	941.2	10.41	212.0	519.5	1.043	2.141
285.00	0.4002	929.1	12.23	220.9	523.4	1.074	2.136
290.00	0.4703	916.5	14.29	229.9	527.3	1.105	2.131
295.00	0.5493	903.6	16.62	239.1	531.1	1.137	2.127
300.00	0.6381	890.2	19.25	248.4	534.9	1.168	2.122
305.00	0.7375	876.3	22.22	257.9	538.5	1.199	2.118
310.00	0.8481	861.9	25.55	267.6	541.9	1.230	2.115
315.00	0.9708	846.9	29.30	277.5	545.3	1.261	2.111
320.00	1.106	831.3	33.51	287.5	548.5	1.292	2.107
325.00	1.256	815.0	38.23	297.8	551.5	1.323	2.104
330.00	1.420	798.0	43.53	308.3	554.3	1.355	2.100
335.00	1.599	780.2	49.49	319.1	557.0	1.387	2.097
340.00	1.795	761.4	56.19	330.2	559.3	1.419	2.092
345.00	2.009	741.5	63.77	341.6	561.4	1.451	2.088
350.00	2.240	720.5	72.34	353.3	563.1	1.484	2.083
355.00	2.491	698.1	82.10	365.5	564.5	1.517	2.078
360.00	2.762	674.1	93.28	378.2	565.4	1.552	2.072
365.00	3.054	648.1	106.2	391.4	565.7	1.587	2.065
370.00	3.369	619.7	121.4	405.4	565.3	1.624	2.056
375.00	3.707	588.1	139.4	420.4	564.0	1.663	2.045