

Таблица 5. 28. Переносные свойства фреона 152а на линии насыщения

T	μ'	μ''	λ'	λ''
240	3.648 E-4	8.097 E-6	1.289E-1	8.417 E-3
245	3.253 E-4	8.290 E-6	1.263 E-1	8.904 E-3
250	2.957 E-4	8.473 E-6	1.238 E-1	9.496 E-3
255	2.726 E-4	8.663 E-6	1.213 E-1	1.001 E-2
260	2.533 E-4	8.852 E-6	1.188 E-1	1.032 E-2
265	2.370 E-4	9.041 E-6	1.164 E-1	1.105 E-2
270	2.226 E-4	9.230 E-6	1.149 E-1	1.136 E-2
275	2.098 E-4	9.418 E-6	1.116 E-1	1.211 E-2
280	1.981 E-4	9.606 E-6	1.092 E-1	1.265 E-2
285	1.875 E-4	9.795 E-6	1.070 E-1	1.321 E-2
290	1.775 E-4	9.985 E-6	1.046 E-1	1.377 E-2
295	1.682 E-4	1.018 E-5	1.024 E-1	1.435 E-2
300	1.594 E-4	1.037 E-5	1.001 E-1	1.494 E-2
305	1.511 E-4	1.057 E-5	9.792 E-2	1.555 E-2
310	1.432 E-4	1.077 E-5	9.571 E-2	1.617 E-2
315	1.356 E-4	1.098 E-5	9.352 E-2	1.684 E-2
320	1.283 E-4	1.120 E-5	9.134 E-2	1.752 E-2
325	1.213 E-4	1.143 E-5	8.916 E-2	1.824 E-2
330	1.145 E-4	1.158 E-5	8.697 E-2	1.901 E-2
335	1.079 E-4	1.195 E-5	8.479 E-2	1.984 E-2
340	1.014 E-4	1.223 E-5	8.258 E-2	2.074 E-2
345	9.513 E-5	1.256 E-5	8.036 E-2	2.173 E-2
350	8.894 E-5	1.293 E-5	7.810 E-2	2.285 E-2
355	8.283 E-5	1.336 E-5	7.580 E-2	2.416 E-2
360	7.675 E-5	1.387 E-5	7.343 E-2	2.570 E-2
365	7.049 E-5	1.451 E-5	7.092 E-2	2.763 E-2
370	6.424 E-5	1.534 E-5	6.836 E-2	3.009 E-2
375	5.789 E-5	1.650 E-5	6.577 E-2	3.370 E-2
380	5.077 E-5	1.825 E-5	6.333 E-2	3.998 E-2
385	4.010 E-5	2.311 E-5		