

Таблица 5.5. Термодинамические свойства фреона 13 на линии насыщения

T	P_s	ρ'	ρ''	h'	h''	s'	s''	c_p'	c_p''
203.15	0.1917	1476.5	12.70	335.1	470.5	3.735	4.401	0.711	0.568
213.15	0.2931	1435.7	18.95	342.5	474.3	3.770	4.388	0.762	0.603
223.15	0.4317	1392.8	27.44	350.5	477.9	3.806	4.377	0.823	0.643
233.15	0.6154	1347.3	38.77	359.1	481.2	3.843	4.367	0.889	0.690
243.15	0.8528	1298.4	53.71	368.3	484.2	3.881	4.358	0.959	0.746
253.15	1.152	1245.1	73.36	378.3	486.7	3.920	4.349	1.038	0.818
263.15	1.524	1185.8	99.34	389.0	488.6	3.961	4.339	1.135	0.916
273.15	1.977	1117.5	134.5	400.7	489.6	4.003	4.328	1.272	1.070
283.15	2.524	1034.5	184.5	413.6	489.1	4.047	4.314	1.515	1.369
293.15	3.180	920.5	266.2	429.0	485.3	4.098	4.290	2.225	2.306
301.15	3.807	742.2	426.4	447.5	473.3	4.158	4.244	9.940	12.686