

Таблица 5.8. Переносные свойства фреона 13 в однофазной области

p=0.1			p=1		p=5	
T	μ	λ	μ	λ	μ	λ
203.15	9.81E-6	6.38 E-3	2.758E-4	8.24 E-2	2.923 E-4	8.44 E-2
223.15	1.081E-5	7.59 E-3	1.937 E-4	7.28 E-2	2.074 E-4	7.48 E-2
243.15	1.180 E-5	8.79 E-3	1.321 E-4	6.06 E-2	1.617 E-4	6.66 E-2
263.15	1.279 E-5	1.002 E-2	1.344 E-5	1.099 E-2	1.290 E-4	5.97 E-2
273.15	1.328 E-5	1.069 E-2	1.389 E-5	1.156 E-2	1.105 E-4	5.63 E-2
283.15	1.377E-5	1.129E-2	1.435E-6	1.209E-2	9.31E-5	5.27E-2
293.15	1.423 E-5	1.189 E-2	1.481 E-5	1.269 E-2	7.27 E-5	4.854 E-2
313.15	1.523 E-5	1.319 E-2	1.572 E-5	1.389 E-2	3.519 E-5	3.461 E-2
333.15	1.619 E-5	1.439 E-2	1.664 E-5	1.509 E-2	2.504 E-5	2.373 E-2
353.15	1.713 E-5	1.562 E-2	1.755 E-5	1.629 E-2	2.303 E-5	2.240 E-2
373.15	1.815 E-5	1.689 E-2	1.845 E-5	1.749 E-2	2.27 E-5	2.244 E-2
393.15	1.897 E-5	1.812 E-2	1.933 E-5	1.869 E-2	2.285 E-5	2.298 E-2
413.15	1.984 E-5	1.939 E-2	2.014 E-5	1.980 E-2	2.316 E-5	2.367 E-2
433.15	2.077 E-5	2.062 E-2	2.099 E-5	2.106 E-2	2.370 E-5	2.440 E-2
453.15	2.154 E-5	2.183 E-2	2.196 E-5	2.234 E-2	2.456 E-5	2.501 E-2
473.15	2.171 E-5	2.318 E-2	2.301 E-5	2.367 E-2	2.524 E-5	2.642 E-2
p=10			p=20			
203.15	3.015 E-4	8.66 E-2	3.449 E-4	9.28 E-2		
223.15	2.244 E-4	7.78 E-2	2.580 E-4	8.29 E-2		
243.15	1.753 E-4	7.00 E-2	2.018 E-4	7.61 E-2		
263.15	1.435 E-4	6.38 E-2	1.666 E-4	7.03 E-2		
273.15	1.288 E-4	6.10 E-2	1.53 E-4	6.76 E-2		
283.15	1.181E-4	5.76E-2	1.404E-4	6.52E-2		
293.15	1.009 E-4	5.48 E-2	1.279 E-4	6.29 E-2		
313.15	7.56 E-5	4.893 E-2	1.055 E-4	5.89 E-2		
333.15	5.97 E-5	4.421 E-2	9.06 E-5	5.54 E-2		
353.15	4.762 E-5	3.958 E-2	7.90 E-5	5.24 E-2		
373.15	4.020 E-5	3.578 E-2	6.63 E-5	5.00 E-2		
393.15	3.58 E-5	3.321 E-2	6.30 E-5	4.78 E-2		
413.15	3.320 E-5	3.209 E-2	5.71 E-5	4.613 E-2		
433.15	3.173 E-5	3.157 E-2	5.24 E-5	4.484 E-2		
453.15	3.097 E-5	3.145 E-2	4.907 E-5	4.392 E-2		
473.15	3.061 E-5	3.165 E-2	4.535 E-5	4.113 E-2		