

Таблица 5.9. Термодинамические свойства фреона 22 на линии насыщения

T	P_s	ρ'	ρ''	h'	h''	s'	s''	C'_p	C''_p
233.15	0.1054	1416.0	4.89	231.8	464.4	2.000	3.000	1.124	0.580
243.15	0.1639	1384.3	7.40	242.1	467.8	2.071	3.001	1.147	0.608
253.15	0.2453	1351.4	10.82	252.7	470.9	2.138	3.002	1.153	0.642
263.15	0.3548	1317.7	15.36	263.4	473.9	2.199	3.000	1.155	0.681
273.15	0.4981	1283.2	21.28	274.3	476.9	2.254	2.997	1.163	0.725
283.1	0.6811	1247.7	28.87	285.5	479.8	2.303	2.991	1.182	0.775
293.15	0.9103	1210.6	38.50	297.2	482.5	2.350	2.983	1.215	0.831
303.15	1.1920	1171.1	50.66	309.3	484.9	2.393	2.973	1.261	0.897
313.15	1.5335	1128.6	65.04	322.0	487.0	2.436	2.963	1.325	0.971
323.15	1.9424	1082.1	85.70	335.4	488.4	2.477	2.951	1.408	1.082
333.15	2.427	1030.1	111.32	349.7	488.8	2.519	2.937	1.524	1.237
343.15	2.998	970.0	146.00	365.0	487.5	2.563	2.919	1.712	1.505
353.15	3.666	895.8	196.46	382.0	483.4	2.607	2.896	2.117	2.106
363.15	4.445	783.9	284.65	403.3	472.9	2.665	2.856	3.961	4.662
365.15	4.615	747.3	314.13	409.2	469.0	2.680	2.844	5.565	6.575