

**Таблица 7.2. Термодинамические свойства диоксида углерода на линии насыщения**

$T$	$p_s$	$\rho''$	$h''$	$s''$	$c_p''$	$\rho'$	$h'$	$s'$	$c_p'$
220	0.6001	15.85	732791	4.225	0.973	1167.1	391473	2.674	1.826
230	0.8943	23.32	735929	4.172	1.042	1130.2	409858	2.754	1.871
240	1.2836	33.3	738031	4.121	1.131	1089.8	429182	2.835	1.978
250	1.7858	46.7	738812	4.073	1.252	1046.2	449497	2.916	2.097
260	2.4194	64.4	737887	4.024	1.429	998.3	470990	2.998	2.241
270	3.2035	88.3	734674	3.973	1.713	945.1	493813	3.081	2.446
280	4.1595	121.7	728128	3.915	2.239	882.8	518651	3.168	2.811
290	5.3150	172.0	715834	3.844	3.540	804.04	546956	3.262	3.672
300	6.7112	270.6	688392	3.729	11.524	680.68	584449	3.383	8.269