

Таблица 4.2.8. Переносные свойства пара натрия в однофазной области

T	$p = 0$		$p = 0.001$		$p = 0.005$		$p = 0.01$	
	μ	λ	μ	λ	μ	λ	μ	λ
600	1.22E-5	1.66E-2						
700	1.41E-5	1.91E-2						
800	1.58E-5	2.15E-2						
900	1.75E-5	2.37E-2	1.71E-5	2.74E-2	1.60E-5	3.81E-2		
1000	1.90E-5	2.58E-2	1.89E-5	2.71E-2	1.84E-5	3.15E-2	1.78E-5	3.59E-2
1100	2.06E-5	2.79E-2	2.05E-5	2.84E-2	2.02E-5	3.02E-2	1.99E-5	3.24E-2
1200	2.20E-5	2.99E-2	2.20E-5	3.01E-2	2.19E-5	3.10E-2	2.17E-5	3.20E-2
1300	2.35E-5	3.18E-2	2.34E-5	3.19E-2	2.34E-5	3.24E-2	2.33E-5	3.30E-2
1400	2.49E-5	3.38E-2	2.49E-5	3.38E-2	2.48E-5	3.41E-2	2.48E-5	3.44E-2
1500	2.63E-5	3.57E-2	2.63E-5	3.57E-2	2.63E-5	3.59E-2	2.62E-5	3.61E-2
1600	2.77E-5	3.76E-2	2.77E-5	3.76E-2	2.77E-5	3.77E-2	2.76E-5	3.78E-2
1700	2.91E-5	3.95E-2	2.91E-5	3.95E-2	2.91E-5	3.96E-2	2.91E-5	3.97E-2
1800	3.05E-5	4.14E-2	3.05E-5	4.14E-2	3.05E-5	4.15E-2	3.05E-5	4.15E-2
1900	3.19E-5	4.33E-2	3.19E-5	4.33E-2	3.19E-5	4.34E-2	3.19E-5	4.34E-2
2000	3.33E-5	4.52E-2	3.33E-5	4.52E-2	3.33E-5	4.53E-2	3.33E-5	4.53E-2
2100	3.47E-5	4.71E-2	3.47E-5	4.71E-2	3.47E-5	4.72E-2	3.47E-5	4.72E-2
2200	3.61E-5	4.91E-2	3.61E-5	4.91E-2	3.61E-5	4.91E-2	3.61E-5	4.91E-2
2300	3.75E-5	5.10E-2	3.75E-5	5.10E-2	3.75E-5	5.10E-2	3.75E-5	5.10E-2
2400	3.90E-5	5.30E-2	3.90E-5	5.30E-2	3.90E-5	5.30E-2	3.90E-5	5.30E-2
2500	4.04E-5	5.50E-2	4.04E-5	5.50E-2	4.04E-5	5.51E-2	4.04E-5	5.51E-2

Продолжение таблицы 4.2.6.

T	$p = 0.02$		$p = 0.05$		$p = 0.1$		$p = 0.2$	
	μ	λ	μ	λ	μ	λ	μ	λ
1100	1.94E-5	3.60E-2	1.82E-5	4.34E-2				
1200	2.14E-5	3.40E-2	2.06E-5	3.86E-2	1.95E-5	4.39E-2		
1300	2.31E-5	3.40E-2	2.25E-5	3.68E-2	2.18E-5	4.05E-2	2.07E-5	4.53E-2
1400	2.46E-5	3.50E-2	2.43E-5	3.67E-2	2.38E-5	3.91E-2	2.29E-5	4.28E-2
1500	2.61E-5	3.64E-2	2.59E-5	3.75E-2	2.55E-5	3.91E-2	2.49E-5	4.17E-2
1600	2.76E-5	3.81E-2	2.74E-5	3.87E-2	2.71E-5	3.98E-2	2.66E-5	4.17E-2
1700	2.90E-5	3.98E-2	2.89E-5	4.03E-2	2.87E-5	4.10E-2	2.83E-5	4.23E-2
1800	3.04E-5	4.16E-2	3.03E-5	4.20E-2	3.02E-5	4.25E-2	2.99E-5	4.34E-2
1900	3.18E-5	4.35E-2	3.18E-5	4.37E-2	3.16E-5	4.41E-2	3.14E-5	4.48E-2
2000	3.32E-5	4.53E-2	3.32E-5	4.55E-2	3.31E-5	4.58E-2	3.29E-5	4.63E-2
2100	3.47E-5	4.72E-2	3.46E-5	4.73E-2	3.45E-5	4.76E-2	3.44E-5	4.80E-2
2200	3.61E-5	4.91E-2	3.60E-5	4.92E-2	3.60E-5	4.94E-2	3.58E-5	4.97E-2
2300	3.75E-5	5.11E-2	3.75E-5	5.11E-2	3.74E-5	5.13E-2	3.73E-5	5.15E-2
2400	3.89E-5	5.31E-2	3.89E-5	5.31E-2	3.89E-5	5.32E-2	3.88E-5	5.34E-2
2500	4.04E-5	5.51E-2	4.04E-5	5.51E-2	4.03E-5	5.52E-2	4.02E-5	5.54E-2

Окончание таблицы 4.2.6.

T	$p = 0.5$		$p = 1.0$	
	μ	λ	μ	λ
1400	2.12E-5	4.87E-2		
1500	2.34E-5	4.68E-2	2.18E-5	5.05E-2
1600	2.54E-5	4.57E-2	2.40E-5	4.94E-2
1700	2.73E-5	4.55E-2	2.60E-5	4.88E-2
1800	2.91E-5	4.58E-2	2.80E-5	4.86E-2
1900	3.07E-5	4.66E-2	2.98E-5	4.89E-2
2000	3.23E-5	4.77E-2	3.15E-5	4.96E-2
2100	3.39E-5	4.91E-2	3.32E-5	5.06E-2
2200	3.54E-5	5.06E-2	3.48E-5	5.18E-2
2300	3.70E-5	5.22E-2	3.64E-5	5.32E-2
2400	3.85E-5	5.40E-2	3.80E-5	5.48E-2
2500	4.00E-5	5.58E-2	3.96E-5	5.65E-2